

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2318018-0
Report Reference E98133-20230514
Date 16-May-2023

Issued to: EVEREL GROUP SPA
Via Cavour 9 Valeggio Sul Mincio, Vr 37067
Italy

This is to certify that
representative samples of

WOYR8 - Switches, Appliance and Special Use Certified for
Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
component requirements in the Standard(s) indicated on
this Certificate. UL Recognized components are incomplete
in certain constructional features or restricted in
performance capabilities and are intended for installation in
complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: CAN/CSA-C22.2 No. 61058-1:17, Edition: 3, Issue Date:
2017-11-03, Revision Date: 2021-06-30, CSA C22.2 No.
61058-1-1, Edition: 1, Issue Date: 2017-11

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2318018-0
Report Reference E98133-20230514
Date 16-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series HE, f/b 11-50 w/prefix 3 to 19, f/b U	Special Use Switches

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2320675-0
Report Reference E98133-20230514
Date 16-May-2023

Issued to: EVEREL GROUP SPA
Via Cavour 9 Valeggio Sul Mincio, Vr 37067
Italy

This is to certify that
representative samples of WOYR2 - Switches, Appliance and Special Use -
Component
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 61058-1, Edition: 5 , Issue Date: 2017-11-3 , Revision Date: 2021-6-30, UL 61058-1-1, Edition: 1, Issue Date: 2017-11-03

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2320675-0
Report Reference E98133-20230514
Date 16-May-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Series HE, f/b 11-50 w/prefix 3 to 19, f/b U	Special Use Switches



Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

DESCRIPTION

PRODUCT COVERED:

USR, CNR Component, Appliance Switches: HE (Mechanical switch)

Model	Load	Amp	Volt	Hz	Temp. [°C]	Pol/ Thr/ (Cir.)	Endurance		IP	DIS	SPCA	Ed.
							30°C	55°C				
*xx-HE- yyyy-U	R	16	250	50	T120/55	2/M (1.2)	---	10K	00	Full	--	5

EXPLANATION OF COLUMN HEADINGS

Model - Cat. No. - Identifier used by the manufacturer for a specific switch Model or Catalog number.

f/b - followed by, ww/o - With or without,

Load - identify the load according the Testing. R= resistive, RM= resistive and motor, RC= resistive and capacitive, L=tungsten lamp load, Spc= specific load, mA =load below 20mA, SpcL, SpcT = specific lamp load such as US L or T, I= inductive, SpcM= specific motor rating, TV= television, GP= general purpose, GPM= general purpose and motor, GPhp= general purpose and horse power.

Amps - the steady state amp value of the switch. Per pole value may be marked "PP" and is verified by the circuit connection.

Volt - the Voltage (RMS) value.

Hz - the Frequency or range such as (50-60).

Temp - The declared operating temperature of the switch.

Pol/Thr/Cir - The number of Poles (Pol) and Throws (Thr) represented by the switch construction (where "M" indicates multiple poles (more than 2). The circuit (Cir) is identified by a code explained in the standard and appendix pages (Table 2 of 61058-1).

IP - Degree of protection against ingress of solid objects and dust, and harmful ingress of water.

DIS - Disconnect air gap across open contact, electronic is indicated by "e", micro indicated "micro", FULL indicated with a measurement in mm.

30C cycle - the number of Endurance cycles completed with a temperature rise less than 30C (on terminals).

55C cycle - the number of Endurance cycles completed with a temperature rise less than 55C (on terminals).

SPCA - Identifies Special Conditions of Acceptability that must be considered in the end product. A list of typical SPCOAs (represented with a number) are found in the WOYR2 guide card. Conditions other than the typical are represented with a letter and described in the specific volume and section follow-up procedure description.

ed - The switch evaluation was completed to the indicated UL standard revision date (such as 2009).

*The Standard used for the investigation of the USR products was indicated in the test Record

The Standard used for the investigation of the CNR products was indicated in the test Record

Switch Declaration: Use table for general and indicate differences below.

Model	..HE-....U		
Ambient Temp. C	120/55	Type Reference	U.T.
Total Cycles	10000	Glow Wire Temp. C	850
IP rating	00	PTI	250 IIIa
Electric shock Class	II	Over Voltage Category	II
Pollution degree Macro	3	Impulse withstand Volt	2500
Pollution degree Micro	3	Disconnect	Full
Actuation	Rotary	Test Circuit	1.2

Terminal	Type	Wire range	Flexible/Rigid	Wire type	Prepared or Unprepared	Specific test amps
All	Tab 6.3x0.8	0.5 - 2.5 mm ²	Flexible	Stranded	Prepared	N/A

NOMENCLATURE (marked on switch):

xx	HE	YYYY	U
I	II	III	IV

I	Number of line: from 3 to 19
II	Series designation: HE
III	Specific model: from 0000 to 9999
IV	Model covered by UL certification: U

FIGURE & ILLUSTRATIONS:

The following Figures & Illustrations are included in this Report.

Figure and Illustration Index		
Figure	1	Rotary switches, HE series, top view
Figure	2	Rotary switches, HE series, Bottom view
Fig	3	Picture of Adapter disk Item
Ill	1	Adapter disk construction drawing

TECHNICAL CONSIDERATIONS (NOT FOR FIELD REPRESENTATIVE'S USE):

Use - The switches covered by this Report are for use only in complete equipment where the suitability of the combination is determined by UL.

STANDARD CONDITIONS OF ACCEPTABILITY: (See Section General or LIS guide Page)